

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A display apparatus comprising:
a display layer (2); and
a touch-sensitive layer (3) running parallel to the display layer thereto[[,]]; wherein ~~that~~ a side of the touch-sensitive layer (3) which is remote from the display layer (2) ~~has~~ includes an antireflection lattice (4) comprising lattice elements which can move toward one another, the lattice elements forming microscopic channels and absorbing incident light from the side.
2. (Currently Amended) The display apparatus as claimed in claim 1, wherein the lattice elements (5) are of strip-like design comprising slots at nodes of the lattice, such that the lattice elements (5) ~~being~~ are able to move toward one another at the nodes (13) of the lattice.
3. (Currently Amended) The display apparatus as claimed in claim 1, wherein the lattice elements (7) are of bristle-like design.
4. (Currently Amended) The display apparatus as claimed in claim 1, wherein the lattice elements (6) are of stud-like design.

5. (Currently Amended) The display apparatus as claimed in claim 1, wherein the lattice spacing is matched to ~~the~~ a pixel spacing on the display layer (2) such that the ratio of the lattice spacing to the pixel spacing is whole-numbered.

6. (Currently Amended) The display apparatus as claimed in claim 1, wherein ~~the~~ an angle (9) between the lattice elements (5, 6, 7) and the touch-sensitive layer (3) is adjustable.

7. (Currently Amended) The display apparatus as claimed in claim 6, ~~wherein~~ further comprising means for automatically adjusting the angle (9) on the basis of the angle of ~~the~~ incident ambient light (18).

8. (Currently Amended) The display apparatus as claimed in claim 1, wherein the lattice elements (5, 6, 7) ~~are comprised of~~ comprise a light-absorbent material.

9. (Currently Amended) The display apparatus as claimed in claim 1, wherein the antireflection lattice (4) is removable.

10. (Canceled).

11. (Currently Amended) A display apparatus comprising:

a display layer (2); and

a touch-sensitive layer (3) running parallel the display layer ~~thereto~~[[,]];

wherein the touch-sensitive layer ~~(3)~~ comprises lattice elements ~~(17)~~ that form microscopic channels in the touch-sensitive layer, the lattice spacing being matched to ~~the~~ a pixel spacing on the display layer ~~(2)~~ such that the ratio of the lattice spacing to the pixel spacing is whole-numbered.

12. (Currently Amended) The display apparatus as claimed in claim 11, wherein the lattice elements ~~(17)~~ are made of liquid crystals ~~contained~~ disposed in the touch-sensitive layer ~~(3)~~.

13. (Currently Amended) The display apparatus as claimed in claim 11, wherein the lattice elements ~~(17)~~ ~~are made of~~ comprise an electrochromic material.

14. (Currently Amended) The display apparatus as claimed in claim 12, further comprising:

means for automatically adjusting the optical properties of the lattice elements ~~(17)~~ on the basis of the ambient light conditions.

15. (Currently Amended) A display apparatus comprising:
a display layer ~~(2)~~; and
a touch-sensitive layer ~~(3)~~ running parallel to the display layer ~~thereto~~[[,]]; wherein the touch-sensitive layer ~~(3)~~ comprises strip-like lattice elements ~~(15)~~ arranged in lattice form, and touch sensors integrated into nodes ~~(13)~~ of the lattice;

wherein the lattice elements comprise electrical conductors which run parallel to the display layer and do not touch at the nodes of the lattice, and the lattice elements comprise an elastic material, and means for evaluating the spacing of the conductors at nodes of the lattice.

16. (Canceled).

17. (Previously Presented) The display apparatus as claimed in claim 15, wherein the touch sensors are capacitive sensor elements.

18. (New) The display apparatus as claimed in claim 1, wherein the lattice elements are of strip-like design interrupted completely at nodes of the lattice such that the lattice elements are able to move toward one another at the nodes of the lattice.

19. (New) A display apparatus comprising:
a display layer;
a touch-sensitive layer running parallel to the display layer; and
a further layer comprising an antireflection lattice comprising lattice elements which can move toward one another, the further layer being mounted on top of the touch-sensitive layer on a side which is remote from the display layer and is separate from the touch-sensitive layer.